# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

# IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.





## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/026,935	12/18/2001	Alan Sullivan	30231/40	7292
7590 09/03/2004			EXAMINER	
Abraham Kasdan, Esq.			TRAN, TAM D	
Amster, Rothstein & Ebenstein 90 Park Avenue			ART UNIT	PAPER NUMBER
New York, NY 10016			2676	

DATE MAILED: 09/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/026,935	SULLIVAN ET AL.			
Office Action Summary	Examiner	Art Unit			
· · · · · · · · · · · · · · · · · · ·	Tam D Tran	2676			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period of - Failure to reply within the set or extended period for reply will, by statute - Any reply received by the Office later than three months after the mailing - earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim  within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from to  cause the application to become ABANDONEE	ely filed will be considered timely. the mailing date of this communication. () (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 07/2	1/2004.	•			
·— · · _	action is non-final.				
	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4) ⊠ Claim(s) <u>1,2,4-9,12,13,16-23,47,48,50-55,58,5</u> 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1,2,4-9,12,13,16-23,48,50-55,58,59,6</u> 7) ⊠ Claim(s) <u>6,8,52,54 and 70-75</u> is/are objected to 8) □ Claim(s) are subject to restriction and/o	vn from consideration. 2-69 and 76-91 is/are rejected.	application.			
Application Papers					
9) The specification is objected to by the Examine	r.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex		• •			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign  a) All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priority application from the International Bureau  * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No d in this National Stage			
Address control					
Attachment(s)  1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	Paper No(s)/Mail Date. 6/30/04			
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application (PTO-152)  6) Other:					

Art Unit: 2676

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 4-9, 12, 13, 16-23, 48, 50, 51-55, 58, 59, 62-69, 76-91, are rejected under 35 U.S.C. 102(b) as being anticipated by Kaufman et al. (USPN 5760781), hereinafter simply Kaufman.

- 2. In regard to claims 1, 47, Kaufman teaches a system and method of processing three-dimensional image data for a three-dimensional volumetric display having a plurality of display elements (voxels), the method comprising: generating three-dimensional image data, comprising (x,y,z) coordinate and color information, wherein the z-coordinate information represents image depth information; see col.2 lines 60-68, col.4 lines 33-40, and storing the three dimensional image data at locations in a multiplanar (cubic frame buffer) frame buffer in accordance with the z-coordinate information. See col.6 lines 20-48.
- 3. In regard to claims 2, 48, Kaufman teaches a system and method of displaying a three-dimensional image wherein the storing comprises: reading the z-coordinate information; scaling the z-coordinate information within a range corresponding to one or more display elements in the three-dimensional volumetric display upon which the three-dimensional image is to be displayed; and assigning memory locations in the multiplanar frame buffer for the three-

Art Unit: 2676

dimensional image data based on the scaled z-coordinate information (distance between rays increase which read on scaling the z-coordinate information within a range). See col.8 lines 55-60.

- 4. In regard to claims 4, 50, Kaufman teaches a system and method of displaying a three-dimensional image wherein the storing comprises storing image data having substantially identical z-coordinate information in memory locations of the frame buffer that are logically substantially proximate. See col.6 lines 20-25.
- 5. In regard to claims 5, 51, Kaufman teaches a system and method of displaying a three-dimensional image further comprising displaying an image on a display having addressable (x,y,z) coordinates. See col.6 lines 38-42.
- 6. In regard to claims 7, 53, Kaufman teaches a system and method of displaying a three-dimensional image further comprising displaying an image on a display having addressable (r, Y, and theta) coordinates (x,y,z coordinates). See col.6 lines 38-42.
- 7. In regard to claims 9, 55, Kaufman teaches a system and method of displaying a three-dimensional image wherein storing comprises: providing a first memory at least as large as the frame buffer; filling the first memory with the three dimensional image data; and transmitting the contents of the first memory location to the frame buffer in a single operation. See col.6 lines 20-25.
- 8. In regard to claims 12, 58, Kaufman teaches a system and method of displaying a three-dimensional image further comprising transmitting the three-dimensional image data to a display in accordance with the z-coordinate information. See col.6 lines 38-42.

Art Unit: 2676

- 9. In regard to claims 13, 59, Kaufman teaches a system and method of displaying a three-dimensional image wherein the image data further comprises transparency information (translucency) and brightness information. See col.4 lines 32-40.
- 10. In regard to claims 16, 62, Kaufman teaches a system and method of displaying a three-dimensional image further comprising displaying an image on a three dimensional volumetric display. See Fig.3.
- 11. In regard to claims 17, 63, Kaufman teaches a system and method of displaying a threedimensional image wherein the three dimensional volumetric display comprises multiple planes upon which image data is displayed. See col.15 lines 45-65
- 12. In regard to claims 18, 64, Kaufman teaches a system and method of displaying a three-dimensional image wherein the three dimensional volumetric display comprises a plurality of self-luminescent optical elements (every pixel on the screen having optical element associated with it). See col.2 lines 60-65.
- 13. In regard to claims 19, 65, Kaufman teaches a system and method of displaying a three-dimensional image wherein the three dimensional volumetric display is a swept-volume display (volume projection image). See col.2 lines 60-67.
- 14. In regard to claims 20, 66, Kaufman teaches a system and method of displaying a three-dimensional image wherein generating comprises generating the three-dimensional image data with a personal computer. See col.1 lines 35-37.
- 15. In regard to claims 21, 67, Kaufman teaches a system and method of displaying a threedimensional image wherein generating comprises converting data corresponding to a threedimensional image into data corresponding to a plurality of two-dimensional cross-sectional

Art Unit: 2676

images (slices of voxels data that are parallel) of the three-dimensional image. See col.2 lines 60-

- 16. In regard to claims 22, 68, Kaufman teaches a system and method of displaying a three-dimensional image wherein the generating comprises generating the three-dimensional image data using application program interface calls (using computer graphic system which has graphic programs). See col.1 lines 30-34.
- 17. In regard to claims 23, 69, Kaufman teaches a system and method of displaying a three-dimensional image wherein generating comprises generating data indicating a plurality of geometric primitives (lines and points) that define three-dimensional image. See col.13 lines 15-25.
- 18. In regard to claims 76-79, Kaufman teaches a system and method of displaying a three-dimensional image, wherein the storing comprises storing the three-dimensional image data having substantially identical z-coordinate information in memory locations within one common physical partition of the multiplanar frame buffer (cubic frame buffer). See col.6 lines 20-45.
- 19. In regard to claims 80, 81, Kaufman teaches a system and method of displaying a three-dimensional image, wherein the multiplanar frame buffer (cubic frame buffer) is located in the three-dimensional volumetric display. See col.6 lines 20-45.
- 20. In regard to claims 82, 83, Kaufman teaches a system and method of displaying a three-dimensional image, wherein the first memory comprises a multiplanar frame buffer (cubic frame buffer). See col.6 lines 20-45.
- 21. In regard to claims 84, 88, Kaufman teaches a system and method of displaying a threedimensional image, wherein the storing comprises: processing the three dimensional image data;

Art Unit: 2676

assigning memory locations in the multiplanar frame buffer (cubic frame buffer) for the three dimensional image data in accordance with the (x,y,z) coordinate information; and transferring the processed three dimensional image data to the assigned memory locations in the multiplanar frame buffer (cubic frame buffer). See col.6 lines 20-49.

- 22. In regard to claims 85, 89, Kaufman teaches a system and method of displaying a three-dimensional image, wherein the processing comprises performing depth testing. See col.6 lines 38-45.
- 23. In regard to claim 86, 90, Kaufman teaches a system and method of displaying a three-dimensional image, wherein the processing comprises performing multiplanar antialiasing. See col.8 lines 43-55.
- 24. In regard to claim 87, 91, Kaufman teaches a system and method of displaying a three-dimensional image, wherein the processing comprises performing alpha blending. See col.10 lines 15-20.

#### Allowable Subject Matter

25. Claims 6, 8, 52, 54, 70-75, are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

26. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Tam D. Tran** whose telephone number is **703-305-4196**. The examiner can normally be reached on MON-FRI from 8:30 – 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Art Unit: 2676

supervisor, Matthew Bella can be reached on 703-308-6829.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivered response should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Tam Tran

7 T Examiner

Art unit 2676

Kee M. Turig rimary Examiner